

## AQUACULTURE TANKS - PRICE LIST

### RECTANGULAR FISH REARING TROUGHS

MODEL	GALLONS	HEIGHT	WIDTH	LENGTH (ID)	WEIGHT
FRT - 75	20	12"	12"	26"	17 lbs.
FRT - 35	25	12"	20"	24"	18 lbs.
FRT - 55	30	12"	12"	48"	26 lbs.
FRT - 1	33	6"	12"	108"	35 lbs.
FRT - 31	33	8"	6"	162"	60 lbs.
FRT - 52	40	15"	25"	28"	35 lbs.
FRT - 7	40	6"	24"	72"	45 lbs.
FRT - 6	50	12"	22"	45"	40 lbs.
FRT - 71	50	23"	23.375"	23.375"	40 lbs.
FRT - 73	50	8"	30"	48"	40 lbs.
FRT - 47	56	6"	30"	72"	52 lbs.
FRT - 45++	60	7"	26"	96"	65 lbs.
FRT - 29	64	6"	26"	96"	62 lbs.
FRT - 41	67	18"	24"	36"	45 lbs.
FRT - 61	70	23"	17"	42"	53 lbs.
FRT - 50	73	8"	28"	76"	58 lbs.
FRT - 56	75	12"	12"	120"	71 lbs.
FRT - 17***	78	18"	20"	50"	53 lbs.
FRT - 48	91	10"	22"	96"	68 lbs.
FRT - 40	95	12"	13"	144"	87 lbs.
FRT - 37	95	24"	26"	36"	58 lbs.
FRT - 25***	96	12"	22"	84"	67 lbs.
FRT - 18	100	24"	26"	38"	60 lbs.
FRT - 2	105	12"	22"	96"	75 lbs.
FRT - 58	105	26"	26"	36"	61 lbs.
FRT - 26	110	10"	36"	72"	72 lbs.
FRT - 33+	110	14"	22"	96"	82 lbs.
FRT - 27	120	24"	24"	48"	68 lbs.
FRT - 74	120	14"	33"	60"	70 lbs.
FRT - 49	132	18"/24"	32"	50"	100 lbs.
FRT - 43	135	29"	33"	33"	74 lbs.
FRT - 34	150	12"	20"	144"	108 lbs.
FRT - 36	165	18"	30"	72"	90 lbs.
FRT - 53	170	14"	32"	88"	1155 lbs.
FRT - 21	180	22"	44"	44"	92 lbs.
FRT - 30	200	16"	36"	84"	110 lbs.
FRT - 72	200	10"	28"	170"	150 lbs.
FRT - 8	215	12"	45"	92"	117 lbs.
FRT - 60	240	24"	24"	96"	125 lbs.
FRT - 32	245	18"	33"	95"	120 lbs.
FRT - 66	255	36"	24"	72"	125 lbs.
FRT - 54	265	15"	45"	92"	125 lbs.
FRT - 28	280	30"	30"	72"	130 lbs.
FRT - 70 Oval ends	300	15"	40"	118"	145 lbs.
FRT - 20	300	18"	30"	130"	150 lbs.
FRT - 42*	300	30"	48"	48"	125 lbs.
FRT - 3	310	24"	25"	120"	160 lbs.
FRT - 38	345	12"	37"	180"	190 lbs.
FRT - 24	350	24"	28"	120"	170 lbs.
FRT - 44**	440	30"	30"	114"	220 lbs.
FRT - 69	445	48"	36"	60"	200 lbs.
FRT - 23	480	36"	37"	84"	260 lbs.
FRT - 57	538	36"	48"	72"	286 lbs.
FRT - 68	538	36"	36"	96"	300 lbs.
FRT - 62**	830	36"	37"	144"	450 lbs.
FRT - 19**	1035	36"	37"	180"	600 lbs.
FRT - 59**	1395	24"	56"	240"	650 lbs.
FRT - 39**	1430	36"	48"	192"	700 lbs.
FRT - 51***	2600	54"	78"	144"	1100 lbs.

\* FRT – 42 Slopes 2” to center.

\*\* Tank has bracing rib to prevent sidewalls from bowing.

\*\*\* Tank has two screen slots, one approximately 8” from the end and one a little past the center.

+ Tanks slopes 2” from sidewall to centerline and has 7 screen slots.

++ Tanks has sloping bottom and must be suspended from the lip or have appropriate bottom support.

**Note:** Dimensions are based on I.D. measurement at the top. Check with factory if O.D. is critical.

Standard finish is a smooth pool blue gel coated interior and a textured gray pigmented exterior.

## ROUND FISH CULTURE TANKS/PANEL TANKS

MODEL	GALLONS	DIAMETER (ID)	HEIGHT	WEIGHT
FCT – 30	30	23”	18”	20 lbs.
FCT – 38	38	23”	22”	23 lbs.
FCT – 40	40	34”	12”	25 lbs.
FCT – 45 +*	45	38”	9 3/4”	28 lbs.
FCT – 60	60	24”	32”	32 lbs.
FCT – 65 (T)	65	34”	18”	33 lbs.
FCT – 65 (S)	65	40”	12”	33 lbs.
FCT – 75	75	38”	16”	35 lbs.
FCT – 85	85	47”	12”	45 lbs.
FCT – 100	100	47”	16”	47 lbs.
FCT – 115 +	115	39”	27”	50 lbs.
FCT – 140	140	42”	24”	51 lbs.
FCT – 180	180	42”	30”	60 lbs.
FCT – 200	200	62”	16”	70 lbs.
FCT – 235	235	48”	30”	75 lbs.
FCT – 240 +	240	48”	34”	76 lbs.
FCT – 300	300	61”	24”	84 lbs.
FCT – 340	340	60”	30”	94 lbs.
FCT – 440	440	60”	36”	105 lbs.
FCT – 450	450	72”	24”	105 lbs.
FCT – 550	550	72”	30”	120 lbs.
FCT – 575 +	575	72”	34”	129 lbs.
FCT – 660	660	91”	24”	147 lbs.
FCT – 750 **	750	96”	24”	212 lbs.
FCT – 850	850	84”	36”	170 lbs.
FCT – 1050	1050	96”	36”	200 lbs.
FCT – 1090 +	1090	96”	40”	210 lbs.
FCT – 1680	1680	106”	54”	288 lbs.
FCT – 1690 **	1690	12’	2’	379 lbs.
FCT – 1700 **	1700	10’	3’	358 lbs.
FCT – 1880 **	1880	8’	5’	376 lbs.
FCT – 2350 **	2350	10’	4’	425 lbs.
FCT – 2385	2385	10’	4’6”	483 lbs.
FCT – 2500 **	2500	12’	3’	458 lbs.
FCT – 2820 +	2820	12’	3’7”	650 lbs.
FCT – 2900 **	2900	10’	5’	491 lbs.
FCT – 2960 **	2960	12’	3’6”	458 lbs.
FCT – 3300 **	3300	12’	4’	657 lbs.
FCT – 3400 S ****	3400	12’	5’	1200 lbs.
FCT – 4100 **	4100	13’3”	4’	615 lbs.
FCT – 4200 **	4500	12’	5’	616 lbs.
FCT – 4626 **	4626	15’	3’6”	627 lbs.
FCT – 4700 ***	4700	20’	2’	835 lbs.
FCT – 4960 **	4960	13’	5’	682 lbs.
FCT – 5284 **	5284	15’	4’	728 lbs.
FCT – 6000 **	6000	16’	4’	800 lbs.
FCT – 6790 ***	6790	17’	4’	869 lbs.
FCT – 7000 ***	7000	20’	3’	966 lbs.
FCT – 7610 ***	7610	18’	4’	944 lbs.
FCT – 9400 ***	9400	20’	4’	1097 lbs.
FCT – 12000 ***	12000	20’	5’	1248 lbs.
FCT – 14000 ***	14000	20’	6’	1467 lbs.
FCT – 15000 ***	15000	30’	3’	2309 lbs.

FCT – 15225 +++	15225	36'	2'	3060 lbs.
FCT – 15538 ***	15538	23'	5'	1573 lbs.
FCT – 18350 ***	18350	25'	5'	1769 lbs.
FCT – 18700 ++	18700	40'	2'	3667 lbs.
FCT – 20500 ***	20500	30'	4'	2580 lbs.
FCT – 21725 ***	21725	21.5'	8'	2275 lbs.
FCT – 22840 +++	22840	36'	3'	3328 lbs.
FCT – 26000 ***	26000	30'	5'	2706 lbs.
FCT – 27365 ***	27365	28'	6'	2729 lbs.
FCT – 28170 ++	28170	40'	3'	3957 lbs.
FCT – 29300 ***	29300	25'	8'	3775 lbs.
FCT – 30450 +++	30450	36'	4'	3581 lbs.
FCT – 31000 ***	31000	30'	6'	2951 lbs.
FCT – 32120 ***	32120	27'	7'-6"	3500 lbs.
FCT – 37560 ++	34560	40'	4'	4132 lbs.
FCT – 38066 +++	38066	36'	5'	3901 lbs.
FCT – 45680 +++	45680	36'	6'	4268 lbs.
FCT – 46950 ++	46950	40'	5'	4650 lbs.
FCT – 52000 ***	52000	30'	10'	5924 lbs.
FCT – 56340 ++	56340	40'	6'	5722 lbs.
FCT – 63500 ++	63500	30'	12'	5900 lbs.

**NOTE: For FCT's, inside diameter at the top is given. If O.D. is critical, call the factory.**

\* Skirt is built into tank and provides 6" bottom clearance.

\*\* One (1) piece bottom and side panels.

\*\*\* Two (2) piece bottom and side panels.

\*\*\*\* Special two (2) piece tank for large broodfish. Has sloped bottom and skirt built into tank.

+\* Bottom is sloped 1" to the center of the tank (height given above includes this slope).

+ Bottom is sloped 3"-4" to the center of the tank (height given above includes this slope).

++ Three (3) piece bottom and 12 side panels.

+++ Three (3) piece bottom and 11 side panels.

Standard finish is a smooth pool blue gel coated interior and a textured gray pigmented exterior on one piece tanks. Panel tanks are pigmented gray throughout.

ALL PRICES ARE F.O.B. KARNES CITY, TEXAS. ALL MULTI-PIECE (PANEL) TANKS ARE PRICED AND SHIPPED UNASSEMBLED AND INCLUDE AN ASSEMBLY KIT (BOLTS, RESIN, GLASS AND PUTTY).

**NOTE:** ALL RED EWALD, INC. FISH CULTURE TANKS ARE MANUFACTURED USING FDA APPROVABLE, FOOD GRADE USE RESINS AND GELCOATS.

### FIBERGLASS RACEWAY TANKS (US PATENT #4,224,486) – Maximum Raceway Length – 45'

MODEL	WIDTH (ID)	WIDTH (OD)*	HEIGHT	GALLONS/FT
RW-1	6'	8'	2'	85
RW-2	6'	9'	3'	130
RW-3	8'	10'	2'	115
RW-4	8'	11'	3'	175
RW-5	10'	12'	2'	145
RW-6	10'	13'	3'	220
RW-7	8'	11'	4'	230
RW-8	4'	7'	3'	85
RW-9	4'	7'	4'	115

**TO FIGURE PRICE:** Multiply price per ft. x length of raceway and add price of 2 ends.

\*Width measurement from support strut on one side of tank to support strut on the opposite side.

## RACEWAY DIVIDER SCREENS

MODEL	WIDTH	HEIGHT	SCREEN SIZES AVAILABLE
RWDS-1	6'	2'	1/8", 1/4", 1/2", 3/4"
RWDS-2	6'	3'	1/8", 1/4", 1/2", 3/4"
RWDS-3	8'	2'	1/8", 1/4", 1/2", 3/4"
RWDS-4	8'	3'	1/8", 1/4", 1/2", 3/4"
RWDS-5	10'	2'	1/8", 1/4", 1/2", 3/4"
RWDS-6	10'	3'	1/8", 1/4", 1/2", 3/4"
RWDS-7	8'	4'	1/8", 1/4", 1/2", 3/4"
RWDS-8	4'	3'	1/8", 1/4", 1/2", 3/4"
RWDS-9	4'	4'	1/8", 1/4", 1/2", 3/4"

## CIRCULAR RACEWAY TANK

MODEL	OUTSIDE DIA.	INSIDE DIA.	WIDTH	DEPTH	CAPACITY (GALLONS)
CRW-1	20'	12'	4'	3'	4,500

## VERTICAL SCREEN FILTERS \*

(U.S. Patent #4,806,237 & Canada Patent #1,300,443)

MODEL	WIDTH	HEIGHT	LENGTH	SCREENS	WEIGHT
VRSF-3	26"	24"	38"	6	80 lbs.
VRSF-10	2'	2'	10'	12	200 lbs.
VRSF-9	3'	3'	8'	8	220 lbs.
VRSF-8	4'	4'	8'	8	500 lbs.
VRSF-12	4'	4'	12'	12	675 lbs.
VRSF-16	4'	4'	16'	16	850 lbs.

\* Addition of airstones between each screen increases filter efficiency.

## POLYESTER FILTER MATERIAL

FS P20T – 2" x 48" x 60' (orange) ----- \$270.00 Per Roll  
 FS T200 – 2" x 48" x 50' (blue) ----- \$190.00 Per Roll

## CONE BOTTOM REARING TANKS

MODEL	GALLONS	CONE ANGLE	DIA (ID)	DEPTH	WEIGHT
CBT-1	120	60 deg.	30"	60"	70 lbs.
CBT-2	40	45 deg.	24"	36"	30 lbs.
CBT-3	130	45 deg.	36"	42"	50 lbs.
CBT-5	12	45 deg.	16"	24"	10 lbs.
CBT-6	18	45 deg.	18"	25"	12 lbs.
CBT-7	12	75 deg.	16"	34"	12 lbs.
CBT-8	200	45 deg.	36"	58"	78 lbs.

## DEMAND FISH FEEDERS \*

MODEL	CAPACITY (IN EXTRUDED FEEDS)	CONE ANGLE	DIA. (ID)	HEIGHT
DFF-1	45 lbs.	45 deg.	16"	24"
DFF-2	120 lbs.	45 deg.	24"	36"
DFF-3	60 lbs.	45 deg.	18"	25"

\* Units come with stainless steel hardware, a fiberglass lid and are adjustable for feed size and sensitivity.

## CUSTOM CONE BOTTOM TANKS

Available in diameters of 5', 6', 7', 8', 10' and 12' with cone angles of 60 deg., 45 deg. and 30 deg. (measured from horizontal). Can be mounted on legs or skirt and have a variety of plumbing options. Call for size/price information.

### TANK FITTINGS

1. PVC PLUMBING KITS (include FRP SxT coupling 2. FRP SXT COUPLING GLASSED TO TANK (glassed to bottom of tank, standpipe and screen).

#### KIT WITH PVC

MODEL	SIZE
PVC – Kit 2	2"
PVC – Kit 3	3"
PVC – Kit 4	4"

#### CPLG WITH PVC

MODEL	SIZE
FRP-CPLG2	2"
FRP-CPLG3	3"
FRP-CPLG4	4"
FRP-CPLG6**	6"
FRP-CPLG8**	8"

\* Includes PVC nipple and SxT elbow.

\*\* Only available with TxT FRP coupling.

## AIRSTONES (50 MICRON PORES - CLEAN WITH ACID OR CHLORINE)

MODEL	SIZE	FITTING
AQAS-105	1-1/2" x 1-1/2" x 1-1/2"	3/16" HB
AQAS-3	1-1/2" x 1-1/2" x 3"	1/4" HB
AQAS-6	1-1/2" x 1-1/2" x 6"	1/4" HB
AQAS-12	1-1/2" x 1-1/2" x 12"	3/8" HB

## VINYL TUBING \*

MODEL	INSIDE DIAMETER	OUTSIDE DIAMETER
AQ-1P640	1/4"	3/8"
AQ-1P641	3/8"	1/2"
AQ-1P642	1/2"	5/8"
AQ-1P643	5/8"	7/8"
AQ-VT-007	3/4"	1"
AQ-VT-1	1"	1 3/4"

\* Discounts available on 100' rolls.

### PINCH CLAMPS FOR VINYL TUBING

AQ – PC – 1 -----(for 1/2" O.D. max. tubing) -----  
 AQ – PC – 2 -----(for 3/4" O.D. max. tubing) -----

### PLASTIC NETTING\*

MODEL	MESH SIZE	WIDTH
AQ-N1/8	1/8"	39"
AQ-N1/4	1/4"	48"
AQ-N1/2	1/2"	48"
AQ-N3/4	3/4"	48"

\* Discounts available on rolls of 100' or more.

### STACK TANKS FOR WATER STORAGE\*

MODEL	GALLONS	DIAMETER	HEIGHT (WITH LID)
ST-500 +	500	52"	72"
ST-1000 +	1000	74"	72"
ST-1500	1500	87"	76"
ST-2000	2000	89"	95"
ST-3000	3000	106"	100"

ALL STACK TANKS ARE EQUIPPED WITH TWO (2) THREADED BULKHEAD FITTINGS AND A REMOVABLE LID WITH MANWAY.

\* TANK SIDEWALLS ARE TAPERED TO NEST FOR ECONOMICAL SHIPPING OF MORE THAN 1 TANK.

+ CAN BE SHIPPED MOTOR FREIGHT TRUCK.

### POLY BULKHEAD FITTINGS (THRU – WALL)

PART NO.	SIZE
TF050	1/2"
TF075	3/4"
TF100	1"
TF125	1-1/4"
TF150	1-1/2"
TF200	2"
TF300	3"

\*Uninstalled price only, labor to install - \$35.00 per fitting.

### TERRA POLY BALL VALVES

PART NO.	SIZE
UV050-FP	1/2"
UV075-FP	3/4"
UV100-FP	1"
V-125-FP	1-1/4"
V-150	1-1/2"
V-200	2"

\*Uninstalled price only, labor to install - \$35.00 per fitting

**ALSO AVAILABLE:**

1. Fiberglass Water Storage Tanks (500 to 42,000 gallons). Accessories include 1/2" to 12" fittings, sight gauges, ladders, top or side manways, level gauges and more.
2. Airblowers - High quality regenerative air blowers ranging from 1/8 to 60 Hp (1 or 3 phase). Inquire for size and price information.
3. PVC Fittings - 3/4" to 6" sizes with elbows, couplings, nipples, tees, hose barbs, flanges, reducer bushings and more available in slip, slip x thread or thread connections.
4. Nylon Air Fittings - 1/4" to 1" fittings with male pipe thread by female hose barb.
5. Stainless Steel and Zinc Plated Bolts - Available in 1/4" to 3/4" dia. and a variety of lengths in stock.
6. Inquire for prices on water hauling tanks, transfer pumps, filter plates for gravel filters and other filter material.
7. Red Ewald, Inc. can custom fabricate most any tank for your operation. Call for information.

THIS PRICE LIST REPLACES ALL OTHERS AS OF **JANUARY 24, 2021**. PRICES, MATERIALS AND/OR SPECIFICATIONS SUBJECT TO CHANGE WITH OR WITHOUT NOTICE. WARRANTY ON TANKS LIMITED TO REPAIR OR REPLACEMENT OF TANKS ONLY. SHIPPING AND CRATING SERVICES ARE CHARGED SEPARATELY. DISCOUNTS AVAILABLE ON CERTAIN ORDERS IN COMBINATION WITH NUMBER OF TANKS ORDERED AND DOLLAR VALUE INVOLVED.

P.O. Box 519  
Karnes City, TX 78118  
E-Mail: [sales@redewald.com](mailto:sales@redewald.com)  
Web Site: [www.redewald.com](http://www.redewald.com)



830-780-3304  
800-242-3524  
Fax: 830-780-4272